



- Key**
- Hard Landscaping, Subject to light traffic loading (Car/Van)
  - Hard Landscaping, Subject to frequent traffic loading 25T Weight Limit. For weights over this DCC Engineers to make assessment.
  - Hard Landscaping, Pedestrians Only, No Vehicle Loading
  - Vehicular Access Route
  - Pedestrian Controlled Crossing Access Route
  - Event Zone. Everything within this area is clear of all underground services
  - Underground Foul Water Pumping Station. Loading Information to be assessed by DCC Engineers to ensure covers and tank can take static load required for event

- MH Man Hole Access to Foul Water Sewer System
- RE Rodding Eye Access to Foul Water Sewer System
- FH Fire Hydrant
- Buried Filter Drain (this should not have any Maximum Loading Impact although fixings may be harder to achieve)
- Service Exclusion Zone. This area contains underground services.
- Trees Damage to be reported immediately to DCC Neighborhood Services department.

**Notes:**

- Tayside House foundation Slab Approximately 600mm below surface of Grass Area
- All Grass within Public Space should be protected from Vehicles wherever possible. No Hard Wheels or tracked vehicles allowed in Public Space.
- Protection of all surfaces to be agreed with Public Space Manager prior to event.
- Access to Water and Electrical Points to be organised through Public Space Manager
- All Electricity Points are 3 Phase supply 20Amp max at each column

Drawn	Checked	Drg.Nr.	Scale	Date
MS	GS	16563/SKD002/0	1:250 (A1)	18.01.16

Project	Dundee Central Waterfront - Contract 4 Infrastructure, Public Open Space & SUDS Pond
Drawing Title	Appendix 2 - Public Open Space Access and Event Plan



**City Development**  
City Engineers Division